	•			
			ćΛ.	
Notice of Allowability	Application No.	Applicant(s)		
	10/657,906	STOUT TADLING	STOUT, TADLINGTON A.	
	Examiner	Art Unit	T	
	Tam Nguyen	3764		
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8: NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS) CLOSED in 5) or other appropriate common RIGHTS. This application is s	n this application. If not include unication will be mailed in due	ded e course. THIS	
1. This communication is responsive to Amendment received.	ed 3-8-2005.			
2. The allowed claim(s) is/are 21-39.				
3. The drawings filed on <u>09 September 2003</u> are accepted	by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents had 2. Certified copies of the priority documents had 3. Copies of the certified copies of the priority of	ive been received. Ive been received in Application	on No	ation from the	
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the re	equirements	
5. A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which gi			NOTICE OF	
 CORRECTED DRAWINGS (as "replacement sheets") m (a) including changes required by the Notice of Draftsperiod 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examine Paper No./Mail Date 	erson's Patent Drawing Review 			
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	t 1.84(c)) should be written on t In the header according to 37 Cl	he drawings in the front (not th FR 1.121(d).	e back) of	
7. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMEN	DOSIT OF BIOLOGICAL MAT	ERIAL must be submitted. OLOGICAL MATERIAL.	Note the	
	-			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Ir	nformal Patent Application (PT	ΓΟ-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948	B) 6. ⊠ Interview S	Summary (PTO-413),		
Information Disclosure Statements (PTO-1449 or PTO/SE Paper No./Mail Date		Paper No./Mail Date <u>Same as Allowance</u> . 7. ⊠ Examiner's Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit	t 8. ⊠ Examiner's	Statement of Reasons for All	lowance	

of Biological Material

9. Other ____.

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 1. Authorization for this examiner's amendment was given in a telephone interview with Charles D. Gavrilovich on May 30, 2005.
- 2. The application has been amended as follows:

Claim 34, line 1, delete "wherein bell" and insert --wherein the bell--.

Claim 39, in line 4, delete "of the bell." And insert --of the bell wherein the aquatic exercise device comprises a bell having at least one curved transverse fin at least partially encircling an inner cavity of the bell, a plurality of curved longitudinal fins extending from an apex of the bell to the at least one curved transverse fin, and a handle connected within the bell.--

Claim 40 is canceled.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance:

In view of the applicant's amendments and after further consideration of the invention, the claims as presented, 21-39, avoid the prior art of record. The prior art does not disclose an aquatic exercise device having a bell with a plurality of apertures adapted to allow water flow when the device is moved through water, a plurality of fins

extending from an outer surface of the bell to provide resistance when the device is moved through water, and a handle connected within the interior of the bell wherein the handle is accessible by a human hand through an opening in the bell.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Terminal Disclaimer

4. The terminal disclaimer filed on January 18, 2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of Patent No. 6,672,994 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tam Nguyen whose telephone number is 571-272-4979. The examiner can normally be reached on M-F 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/657,906

Art Unit: 3764

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

May 30, 2005

STEPHEN R. CROW PRIMARY EXAMINER ART UNIT 332

Delan